

746 Hemisphere 1%

Non Transparent





A high deusity weave that provides exceptional solar protection and visual privacy

Features

- Reduces heat transmission
- Eliminates glare in direct sunlight
- Allows moderate flow of fresh air
- Creates visual privacy screening

Care Instructions

Wipe clean with warm soapy water and a damp cloth.

For more information visit verosol.com.au or call 1800 721 404







746 Hemisphere 1%

Non Transparent

Fabric Density	Non Transparent		Protection	Mould & Mildew			
Composition	30% Polyester / 70% PVC	30% Polyester / 70% PVC		Warp 661N / Weft 470N			
Weight	710gsm		Tensile Strength	Warp 3599N / Weft 2928N			
Thickness	1.20mm	••••••					
Width	3000mm						
Flame Retardancy [AS/NZS 1530.3-1999]	Ignitability Index	16 Range [0-20]	• • • • • • • • • • • • • • • • • • • •				
	Spread of flame Index	0 Range [0-20]	• • • • • • • • • • • • • • • • • • • •				
	Heat evolved Index	2 Range [0-20]	• • • • • • • • • • • • • • • • • • • •				
	Smoke developed Index	8 Range [0-20]	• • • • • • • • • • • • • • • • • • • •				
Certification	Greenguard Gold	Oeko-tex 100 Class IV	ISO 9001:2008	ISO 14001:2004			
	Ecospecifier	•••••	• • • • • • • • • • • • • • • • • • • •				
Suitable Products	External Roller Blinds						

Fabric colour code	1500	2000	7500	8500	9500
Solar transmittance	10%	9%	5%	3%	2%
Solar reflectance outside	31%	20%	15%	14%	13%
Solar absorptance	50%	75%	81%	86%	95%
UV transmittance	1%	2%	1%	1%	1%
Openness factor	1%	1%	1%	1%	1%

