Verosol





Intricate and elegant collection with matching blockout fabric

Features

- Intricate weave construction with multi-coloured yarns, creating depth and texture
- Combination of thick and thin yarns adds a decorative touch
- Featuring a neutral palette of 13 colours, and available in matching blockout fabric
- Suitable for Roller Blinds, Roman Blinds and Panel Glides

Care Instructions

Wipe clean with warm soapy water and a damp cloth.

For more information visit verosol.com.au or call 1800 721 404



734 Tempest

Semi Transparent

Fabric Density	Semi Transparent			
Composition	100% Polyester	PVC Free	•••••••••••••••••••••••••••••••••••••••	
Weight	220gsm ± 5%	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	
Thickness	0.55mm ± 5%	••••••	••••••••••••••••	
Width	3000mm	••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	
Colour Fastness	>5 [Blue Wool Scale], Fade F	Resistant	•••••••••••••••••••••••••••••••••••••••	
Flame Retardancy [AS/NZS 1530.3-1999]	Compliant with BCA require	ements for class 2 to 9 buildings		
Certification	Greenguard Gold	Oeko-Tex 100 Class IV	••••••••••••••••	
Suitable Products	Roller Blinds	Roman Blinds	Panel Glides	

Fabric colour code	1000	1500	2000	3000	4000	5000	6000	7000	8000	9000
Solar transmittance	46%	46%	33%	40%	37%	25%	17%	10%	13%	7%
Solar reflectance outside	54%	53%	64%	48%	42%	34%	21%	11%	17%	8%
Solar absorptance	0%	1%	3%	12%	21%	41%	62%	79%	70%	85%
Luminous transmittance [VLT]	47%	47%	39%	39%	34%	21%	15%	9%	11%	6
UV transmittance	33%	34%	27%	28%	24%	15%	11%	8%	9%	5%
Openness factor [nominal]	0%	4%	3%	5%	4%	3%	4%	5%	4%	4%

Glazing Type - Single 3mm Clear Glass

		••••		• • • • • • • • • •	••••	••••		••••	••••	••••
G-value / Solar heat gain coefficient		47%		49%	52%	55%	61%	66%	63%	68%
Shading coefficient	53%	54%	56%	56%	60%	63%	70%	76%	72%	78%



© Copyright 2021 Verosol Australia [ABN 36 006 221 003] Updated January 2024 Information supplied was current at time of printing. Please refer to Warranty Terms & Conditions at www.verosol.com.au for more information. All presented data calculated in WIS 3.0.1 (Advanced Windows Information System) with spectral data. Specifications and other data are based on information available at the time of preparation of this document and are subject to production tolerances and/or change without prior notice. Note: All colours are representative only, please request an A4 sample for accurate colour representation at www.verosol.com.au.