
Verosol

797 Raven



Premium light control, privacy, and style for any space

Features

- Raven blockout is a flame-retardant fabric available in a colour palette of 15 modern colours, offering superior light control, privacy, and aesthetic versatility for modern interiors.
- Durability meets design., Raven blockout provides seamless coverage Raven 3200mm wide fabric spans large windows effortlessly, reducing joins for a cleaner, more elegant finish.
- Suitable for both residential & commercial applications.
- Suitable for Roller Blinds, and Panel Glides

Care Instructions

For regular maintenance, to remove surface dust use a soft feather duster or soft cloth. Never use abraisive products or solvent / industrial based cleaners, or chemicals which will permanently damage your fabric.

or more information visit verosol.com.au or call 1800 721 404



797 Raven Blockout

Fabric Density	Blockout	
Composition	100% Polyester with Acrylic Backing	PVC Free Lead Free
Air Quality	VOC Tested US EPA 5021A:2003	
Opacity	100% Blackout	fabric is printable
Weight	465gsm ± 5%	
Thickness	0.46mm ± 5%	
Width	3200mm	
Colour Fastness	≥ 6 [Blue Wool Scale]	
Flame Retardancy tested to: [AS/NZS 1530.3-1999]	Ignitability Index	16 Range [0-20]
	Spread of flame Index	0 Range [0-10]
	Heat evolved Index	2 Range [0-10]
	Smoke developed Index	7 Range [0-10]
	Complies with Building Code of Australia requirements for Class 2 to 9 (a) Buildings	
[AS/NZS 1530.2-1993]	Flammability Index	4
Suitable Products	Roller Blinds	Panel Glides

Colour Range



© Copyright 2025 Verosol Australia [ABN 36 006 221 003] Updated May 2025 Information supplied was current at time of printing. Please refer to Warranty Terms & Conditions at www.verosol.com.au for more information. All presented data calculated in WIS 3.0.1 (Advanced Windows Information System) with spectral data. Specifications and other data are based on information available at the time of preparation of this document and are subject to production tolerances and/or change without prior notice. Flame retardancy information is sourced from AWTA testing results [AS/NZS 1530.3-1999]. Please note that test results may vary slightly depending on fabric colour. Note: All colours are representative only, please request an A4 sample for accurate colour representation at www.verosol.com.au.