


236 Satin

Non Transparent



Pleated Blinds

Offering subtle privacy with good levels of solar protection

Features

- Part of the Verosol Core Collection - fabrics developed in Europe, to the highest quality standard
- Constructed from 100% polyester, offering privacy and a good level of heat and light control
- Anti-static and easy to clean, making it ideal for bathrooms
- Suitable for Pleated Blinds

Care Instructions

Verosol fabrics are anti-static and therefore dust repellent. For regular maintenance, use a soft feather duster or vacuum-clean with a soft brush in a low setting.

For more information visit verosol.com.au or call **1800 721 404**



Management System
ISO 9001:2008
ISO 14001:2004
www.tuv.com
ID 0900032419



green building council australia
MEMBER 2015-2016

236 Satin

Non Transparent

Fabric Density	Non Transparent		
Composition	100% Polyester		
Weight	94gsm ± 5%		
Thickness	0.16mm ± 5%		
Width	2200mm ± 50mm		
Colour Fastness	≥ 5 [ISO 105 B02], Scale of 8		
Certification	Oeko-Tex 100 Class IV	ISO 9001:2008	ISO 14001:2004
Suitable Products	Pleated Blinds		

Fabric colour code	0000
Solar transmittance	40%
Solar reflectance outside	57%
Solar absorptance	3%
Luminous transmittance [VLT]	40%
UV transmittance	19%
Openness factor (nominal)	0%
Ra (colour rendering index)	99


Glazing Type - Single 4mm Clear Glass

Visible light transmittance	35%
G-value / Solar heat gain coefficient	40%
Shading coefficient	46%
U-value (W/m ² K)	2.7

Glazing Type - High Performance Glazing

Visible light transmittance	29%
G-value / Solar heat gain coefficient	21%
Shading coefficient	24%
U-value (W/m ² K)	0.9

Colour Range



0000 White

0105 Natural