

# 737 Veropaque G3

Blockout



Flame Retardant



Roller Blinds



Panel Glides

*Contemporary and soft to touch, with matching semi transparent fabric*

## Features

- Constructed from a fine 2x1 weave, making it delicate to touch
- Colour coated backing for a uniform look from the inside and outside
- Designed for maximum room darkening and total privacy
- Flame retardant, Greenguard Gold, Oeko-Tex and Ecospecifier certified fabric suitable for commercial and residential
- Contemporary palette of 9 colours, and available in matching semi transparent fabric
- Suitable for Roller Blinds and Panel Glides

## Care Instructions

Wipe clean with warm soapy water and a damp cloth.

For more information visit [verosol.com.au](http://verosol.com.au) or call **1800 721 404**



green building council australia  
MEMBER 2019-2020

# 737 Veropaque G3

## Blockout

Fabric Density	Blockout	Opacity	AS2663-1999
Composition	100% Polyester with Acrylic Foam Coating   PVC Free	Air Quality	ASTM-D5116
Weight	350gsm ± 10%	Total Volatile Organic Compound emission rate 0.003mg/m <sup>2</sup> /hr	
Thickness	0.38mm ± 10%		
Width	3000mm		
Colour Fastness	>5 [Blue Wool Scale], Fade Resistant		
Flame Retardancy [AS/NZS 1530.3-1999]	Ignitability Index	14 Range [0-20]	Compliant to BCA C1.10. Suitable for use in class 2 to 9 buildings.
	Spread of flame Index	0 Range [0-10]	
	Heat evolved Index	1 Range [0-10]	
	Smoke developed Index	7 Range [0-10]	
Certification	Greenguard Gold	Oeko-Tex 100 Class IV	Ecospecifier
Suitable Products	Roller Blinds	Panel Glides	

<b>Blackout Fabric Range</b>	<b>1000</b>
Solar transmittance	0%
Solar reflectance outside	6%
Solar absorptance	94%
Luminous transmittance [VLT]	0%
UV transmittance	0%
Openness factor	0%

### Glazing Type - Single 4mm Clear Glass

G-value / SHGC	68%
Shading coefficient	78%

### Glazing Type - High Performance Glazing

G-value / SHGC	30%
Shading coefficient	34%

### Colour Range

